

# TRESTLE

- + Trestles designed for heavy-duty use in structural work and public works.
- + Welds are fully robot-welded.
- + Main tube Ø 48 mm - Sliding tube Ø 38 mm.
- + Square tube 40 x 40 x 2 mm.
- + Upper crossbar and guardrail supports made of 35 x 35 x 2 mm square tube.
- + Lower crossbars made of Ø 28 mm tube.
- + Flat, non-deformable feet to increase ground contact and stability. Reinforced base.
- + Epoxy powder coating.



TRESTLE TRP 1220



TRESTLE TAPT 1220



GUARD-RAIL  
FOR TRESTLE

## USE

A trestle designed for heavy-duty use in structural work and public works.

## TECHNICAL DATA

DESIGNATION	TECHNICAL DATA	PRODUCT CODE - EAN CODE
TRESTLE TRP 1220	Load capacity: 300 kg. Width: 1.01 m, height: 1.20 to 2 m. Pack of 5.	316132200 - 3155031610166
TRESTLE TAPT 1220	Swivel legs secured with a pin. Do not move when handling the trestle. Load capacity: 200 kg. Width: 1.08 m, height: 1.20 to 2 m. Pack of 20.	316132300 - 3155031613235
GUARD-RAIL	Square tube, 30 x 30 x 2 mm. Height: 1.15 m. Pack of 10.	316130001 - 3155031612009