PRODUCT SHEET TECHNOLOGY RANGE

EXPERT 120 RENOUP







Wheelbarrow equipped with deep and narrow tray, allow easy access through narrow doorway.



Galvanized tray, refurbishment version.



Alpha Frame with welded support which forms a strong cradle both at the front and on the underside of the tray to increase rigidity.

Bi-material handgrips = comfort and ergonomics when being used.



Spare parts available

YouTube **RENO UP video**





The unique tilting handle enables the wheelbarrow to be unloaded with a natural movement of the wrist, avoiding pain during intensive use.

The super-reinforced tubular chassis forms a dumping stop and support at the front of the tray.

The X-shaped stretcher considerably increases the support surface under the tray.

Its design allows the user to move forward without obstacles or leg discomfort.



TECHNICAL DATA

FRAME	e vol	LUME	SIZES OF THE PRODUCT	CRASH-TEST	HANDGRIPS	WHEEL	WEIGHT	PACKAGING	PALLET SIZES	PRODUCT CODE EAN CODE
Black-pain tube, form a spill stop support at front of the	ing and 18 the	3,5 kg	1530 x 585 x 530 mm	520 kg	Single tilting handle, yellow, with bi-material handles	Pneumatic Ø 400 mm, metal flange rim, with ball bearing	18,5 kg	Assembled x 4	1650 x 1200 x 2000 mm	305257001 3155030525706

CRASH-TEST

Static resistance test of the structural elements. Should not be confused with the maximal recommended load. Dangerous test. Need to bes tested in a safe environment. Should not be reproduced.

HSAS 03.24 Our products are susceptible to changes during the year. Photographs are non-contractual.



• æmmerlin **&**

PACKAGING

